

## ebXML Core Components Structure v1.04

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
<b>SECTION 1: Core Component Types</b>									
000066	date time. type	n/a	n/a	n/a	n/a	CCT		A particular point in the progression of time together with relevant supplementary information.	Can be used for a date and/or time.
000067		date time. content	n/a	string	n/a	Basic	R	The particular point in the progression of time.	
000068		date time. format. text	n/a	string	n/a	Basic		The format of the date/time content.	Reference ISO 8601

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000089	code. type	n/a	n/a	n/a	n/a	CCT		A character string (letters, figures or symbols) that for brevity and/or language independence may be used to represent or replace a definitive value or text of an attribute together with relevant supplementary information.	
000091		code. content	n/a	string	n/a	Basic		A character string (letters, figures or symbols) that for brevity and/or language independence may be used to represent or replace a definitive value or text of an attribute.	
000092		code list. identifier	n/a	string	n/a	Basic		The name of a list of codes.	Can be used to identify the URL of a source that defines the set of currently approved permitted values.

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000093		code list. agency. identifier	n/a	string	n/a	Basic		An agency that maintains one or more code lists.	
000099		code list. version. identifier	n/a	string	n/a	Basic		The version of the code list.	
000100		code. name	n/a	string	n/a	Basic		The textual equivalent of the code content.	If no code content exists, the code name can be used on its own.
000075		language. code	n/a	string	n/a	Basic		The identifier of the language used in the corresponding text string.	Reference ISO 639: 1998

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000090	text. type	n/a	n/a	n/a	n/a	CCT		A character string with or without a specified language.	
000094		text. content	n/a	string	n/a	Basic	R	A character string generally in the form of words.	
000075		language. code	n/a	string	n/a	Basic		The identifier of the language used in the corresponding text string.	Reference ISO 639: 1998

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000101	identifier.type	n/a	n/a	n/a	n/a	CCT		A character string to identify and distinguish uniquely, one instance of an object in an identification scheme from all other objects within the same scheme together with relevant supplementary information.	
000102		identifier.content	n/a	string	n/a	Basic	R	A character string to identify and distinguish uniquely, one instance of an object in an identification scheme from all other objects within the same scheme.	
000103		identification scheme.name	n/a	string	n/a	Basic		The name of the identification scheme.	

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000104		identification scheme agency.name	n/a	string	n/a	Basic		The agency that maintains the identification scheme.	
000075		language.code	n/a	string	n/a	Basic		The identifier of the language used in the corresponding text string.	Reference ISO 639: 1998

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000105	amount. type	n/a	n/a	n/a	n/a	CCT		A number of monetary units specified in a currency where the unit of currency is explicit or implied.	
000106		amount	n/a	decimal	n/a	Basic	R	A number of monetary units specified in a currency where the unit of currency is explicit or implied.	
000107		amount currency. identification . code	n/a	string	currency. identification. code (000133)	Basic		The currency of the amount.	Reference ISO 4217.

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000108	quantity. type	n/a	n/a	n/a	n/a	CCT		A number of non-monetary units together with relevant supplementary information.	
000109		quantity	n/a	decimal	n/a	Basic	R	A number of non-monetary units.	
000110		quantity. unit. code	n/a	string	n/a	Basic	R	The unit of the quantity.	May use UN/ECE Recommendation #20 and X12 355, but for actual measurements use the CCT measure type. For example, for \$10/100 km use CCT quantity type and for a measured distance of 20 kilometers use CCT measure type.
000111		quantity unit code list. identifier	n/a	string	n/a	Basic		The quantity unit code list.	
000112		quantity unit code list agency. identifier	n/a	string	n/a	Basic		The agency which maintains the quantity unit code list.	



UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000152	measure. type	n/a	n/a	n/a	n/a	CCT		The size, volume, mass, amount or scope derived by performing a physical measure together with relevant supplementary information.	
000153		measure. content	n/a	decimal	n/a	Basic		The size, volume, mass, amount or scope derived by performing a physical measure.	For example, 20 kilograms (20 is the measure content)
000154		measure unit. code	n/a	string	n/a	Basic		The type of unit of measure.	Reference UN/ECE Recommendation #20 and X12 355. For example, for \$10/100 km use CCT quantity type and for a measured distance of 20 kilometers use CCT measure type.
<b>SECTION 2: Aggregate Information Entities</b>									
000001	party. details	n/a	n/a	n/a	n/a	Aggregate		Details of an individual, a group or a body having a role in a business function.	

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000016		party.identifier	identifier.type	n/a	n/a	Basic		A character string used to uniquely identify and distinguish a party.	
000009		party.description.text	text.type	n/a	n/a	Basic		Text providing information on the party.	This text may cover information which is in addition to the structured information but cannot be provided within the given structure
000002		party.type.code	code.type	n/a	n/a	Basic		The characteristics of a party which is independent of its role.	this can be used to distinguish legal entities from individual persons or a group of people
000095		person.details	n/a	n/a	n/a	Aggregate		A human being regarded as an individual.	
000096		organisation.details	n/a	n/a	n/a	Aggregate		An organised body such as a business, government body, department, charity, etc.	
000095	person.details	n/a	n/a	n/a	n/a	Aggregate		A human being regarded as an individual.	

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000098		person.name	text.type	n/a	n/a	Basic		The full name of a person.	Expressed in a single string.
000014		person.tax.identifier	identifier.type	n/a	n/a	Basic		The registered national tax identification of a person.	Applies only to parties being natural persons.
000012		birth.date	date.time.type	n/a	n/a	Basic		The date on which a person was born.	Applies only to parties being natural persons.
000018		person.given.name	text.type	n/a	n/a	Basic		The given name, first name, Christian name or moniker of a person.	This applies only to parties being natural persons
000019		person.middle.name	text.type	n/a	n/a	Basic		The middle name(s) or initial(s) of a person.	This applies only to parties being natural persons
000020		person.surname.name	text.type	n/a	n/a	Basic		The surname, last name or family name of a person.	This applies only to parties being natural persons
000021		person.gender.code	code.type	n/a	n/a	Basic		The gender of a person.	This applies only to parties being natural persons
000113		person.nationality.code	code.type	n/a	n/a	Basic		The identification of a nation that a person belongs to.	
000022		person.name.prefix.code	code.type	n/a	n/a	Basic		A title that prefixes a persons name.	For example Mr, Mrs, Dr, or Sir.

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000114		person.name suffix.code	code.type	n/a	n/a	Basic		A title that follows a persons name.	For example 3rd, junior, BSc, or Esq.
000096	organisation.details	n/a	n/a	n/a	n/a	Aggregate		An organised body such as a business, government body, department, charity, etc.	
000115		organisation.name	text.type	n/a	n/a	Basic		The text used to identify an organisation, the organisation's name.	
000097		organisation.registration.country.code	code.type	n/a	n/a	Basic		The country in which an organisation is registered.	
000015		organisation.registration.date	date time.type	n/a	n/a	Basic		The date on which an organisation was first registered with a governing body.	
000013		organisation.tax.identifier	identifier.type	n/a	n/a	Basic		The registered national tax identification of a organisation.	For example VAT Number or company registration number. Does not apply to parties being natural persons.

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000005	postal address. details	n/a	n/a	n/a	n/a	Aggregate		The collection of information which locates and identifies a specific address as defined by postal services	The address will be limited depending on the context in which it is used.
000024		address. type. code	code. type	n/a	n/a	Basic		The type of the address.	For example a business address or a home address. Not the Role of the address.
000026		street building. identifier	identifier. type	n/a	n/a	Basic		A number that identifies the position of a building on a street.	
000027		street. name. text	text. type	n/a	n/a	Basic		The name of a street or thoroughfare.	
000028		district. name. text	text. type	n/a	n/a	Basic		A part of a town or region.	
000029		town. name. text	text. type	n/a	n/a	Basic		A built up area with a name, defined boundaries and a local government.	

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000030		state.identifier	identifier.type	n/a	n/a	Basic		An organised political community or area forming a part of a federation.	
000031		post code.identifier	identifier.type	n/a	n/a	Basic		A group of letters and/or numbers which are added to a postal address to assist the sorting of mail.	
000032		country.code	code.type	n/a	n/a	Basic		A nation with its own government	Reference ISO 3166.
000033		post office box.identifier	identifier.type	n/a	n/a	Basic		A numbered box in a post office assigned to a person or organisation where letters for them are kept until called for.	
000034		building.identifier	n/a	string	n/a	Basic		The identification of a building within a group of buildings that have the same street number identifier.	For example a building name or number on a campus or within a company.
000035		building.name	text.type	n/a	n/a	Basic		The name of the building or house.	

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000036		suite.identifier	n/a	string	n/a	Basic		The identification of a suite or apartment.	
000037		mail.delivery.sub-location.identifier	identifier.type	n/a	n/a	Basic		A specific place to deliver mail within a predefined postal address.	
000038		floor.identifier	n/a	string	n/a	Basic		A floor or storey within a building.	
000039		lot.identifier	identifier.type	n/a	n/a	Basic		An identification of an allotment of land.	
000040		block.identifier	n/a	string	n/a	Basic		A group of buildings bounded by (usually four) streets.	
000041		district.sub-division.identifier	identifier.type	n/a	n/a	Basic		A sub-division of a district.	May be provided in the form of a name.
000042		region.identifier	identifier.type	n/a	n/a	Basic		An administrative division of a country, state or territory.	
000043		county.identifier	identifier.type	n/a	n/a	Basic		A territorial division of some countries, forming the chief unit of local administration.	

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000045		postal address. line 1. text	text. type	n/a	n/a	Basic		The first free format line of a postal address.	
000046		postal address. line 2. text	text. type	n/a	n/a	Basic		The second free format line of a postal address.	
000047		postal address. line 3. text	text. type	n/a	n/a	Basic		The third free format line of a postal address.	
000048		postal address. line 4. text	text. type	n/a	n/a	Basic		The fourth free format line of a postal address.	
000049		postal address. line 5. text	text. type	n/a	n/a	Basic		The fifth free format line of a postal address.	
000050	communication number. details	n/a	n/a	n/a	n/a	Aggregate		The information for one communication number or virtual address.	
000052		communication. type. code	code. type	n/a	n/a	Basic		The type of communication details.	For example home or business.
000053		communication. mode. code	code. type	n/a	n/a	Basic	R	The way or manner in which the communication is made.	For example fax, phone, email, http, https, ...



UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000055		communication. identifier	identifier. type	n/a	n/a	Basic		The number or virtual address of communication.	Can be used to identify a phone number as a single string.
000057		telephone country. identifier	identifier. type	n/a	n/a	Basic		The telephone identifier for a country.	Reference International Telecommunications Union (ITU) E.164.
000058		telephone area. identifier	identifier. type	n/a	n/a	Basic		The telephone identifier for a geographical area within a country.	
000059		telephone subscriber. identifier	identifier. type	n/a	n/a	Basic		The telephone identifier for a subscriber within a geographical area.	
000060		telephone extension. identifier	identifier. type	n/a	n/a	Basic		A subsidiary telephone with it's own additional number as an extension of a subscriber identifier.	
000006	location. details	n/a	n/a	n/a	n/a	Aggregate		A particular geographical place or position.	
000061		location. identification. code	code. type	n/a	n/a	Basic	R	The identifier of a location.	

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000062		location. type. code	code. type	n/a	n/a	Basic		An identification of the type of location	For example an airport or train station.
000063		location. description. text	text. type	n/a	n/a	Basic		A free text description of the location	
000010	financial account. details	n/a	n/a	n/a	n/a	Aggregate		A service through a bank or other organisation through which funds are held on behalf of a client or goods or services are supplied on credit.	Not a general ledger.
000077		financial account. identifier	identifier. type	n/a	n/a	Basic	R	The identifier of the account.	
000078		financial account. name	text. type	n/a	n/a	Basic		Full name of an account.	Which usually identifies the ownership of the account
000080		financial account. country. code	code. type	n/a	n/a	Basic		The country in which the account is held.	

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000081		financial account currency. identification . code	code. type	n/a	n/a	Basic		The currency of the account.	
000084		financial account product. type. identifier	identifier. type	n/a	n/a	Basic		The type of account product.	For example a Savings Plus.
000085		financial account nickname. name	text. type	n/a	n/a	Basic		Familiar name given to an account as well as the account name.	
000116	transport. means. details	n/a	n/a	n/a	n/a	Aggregate		Vehicle used for the conveyance of goods or persons	For example information about a truck or tanker.
000117		transport means. identification . code	code. type	n/a	n/a	Basic		Identification of a means of transport.	For example the vessel call sign or vehicle registration.
000118		transport means. name	text. type	n/a	n/a	Basic		The name of the means of transport.	For example the vessel name.
000119		transport means. nationality. code	code. type	n/a	n/a	Basic		The nationality of the means of transport.	

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000165	packaging.details	n/a	n/a	n/a	n/a	Aggregate		Information related to an object or group of objects wrapped or packed	
000166		packaging.type.code	code.type	n/a	n/a	Basic		Identification of the packaging type	For example box, barrel or bottle. Reference UN/ECE Recommendation #21
000167		packaging.quantity	quantity.type	n/a	n/a	Basic		Number of objects or groups of objects	
000168		packaging.level.code	code.type	n/a	n/a	Basic		Positional location of an object or groups of objects	For example, inner, outer
000169		packaging.material.code	code.type	n/a	n/a	Basic		Identification of the packaging material	For example, wood, paper, plastic
000155	product.service.details	n/a	n/a	n/a	n/a	Aggregate		A thing or substance produced by natural process or manufacturer and or a provision or system of supplying a need.	

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000156		product service. identifier	identifier. type	n/a	n/a	Basic		A character string used to uniquely identify and distinguish a product/service.	
000157		product service. type. code	code. type	n/a	n/a	Basic		An identification of the type of product/service.	UN/ECE UNSPC code list
000158		product service. description. text	text. type	n/a	n/a	Basic		A textual description of the product/service.	
000159		product service start. dateandtime	date time. type	n/a	n/a	Basic		A date and/or time on which a product/service starts.	
000160		product service end. dateandtime	date time. type	n/a	n/a	Basic		A date and/or time on which a product/service ends.	
000163		product service classification. identifier	identifier. type	n/a	n/a	Basic		A character string to identify and distinguish uniquely, one product/service classification from another.	

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000136	currency exchange. details	n/a	n/a	n/a	n/a	Aggregate		Details needed or used to make an exchange of an amount from one currency to another.	
000137		source currency. identification. code	code. type	n/a	currency. identification. code (000133)	Basic		Code identifying the currency from which the exchange is being made.	
000138		target currency. identification. code	code. type	n/a	currency. identification. code (000133)	Basic		Code identifying the currency to which the exchange is being made.	
000139		base currency. identification. code	code. type	n/a	currency. identification. code (000133)	Basic		The currency that is on the 'one unit' side of the rate of exchange.	The base currency amount divided by the currency exchange rate gives the second currency amount.
000120		currency. exchange. rate	n/a	number	n/a	Basic		The rate at which the currency exchange is calculated.	

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000140		source currency. scale. value	n/a	number	scale. value (000134)	Basic		The base of the source currency expressed as 1, 10, 100 or 1000 depending on the scale for the monetary unit.	Used when the source currency is on the 'one unit' side of a rate of exchange.
000141		target currency. scale. value	n/a	number	scale. value (000134)	Basic		The base of the target currency expressed as 1, 10, 100 or 1000 depending on the scale for the monetary unit.	Used when the target currency is on the 'one unit' side of a rate of exchange.
000142		exchange. rate. dateandtime	date time. type	n/a	n/a	Basic		The date and time of the exchange rate.	
000122	charge price. details	n/a	n/a	n/a	n/a	Aggregate		Information about the amount of money expected, required, or given in payment for something.	
000127		charge price. amount	amount. type	n/a	n/a	Basic		The amount of money expected, required, or given in payment for something.	

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000143		charge price. description. text	text. type	n/a	n/a	Basic		Text providing information on the charge/price.	This text may cover information which is in addition to the structured information but cannot be provided within the given structure
000130		charge price. tax inclusion. indicator	n/a	n/a	n/a	Basic		An indicator specifying if the charge/price includes tax.	
000126		percentage charge price. details	n/a	n/a	n/a	Aggregate		A financial liability calculated using a percentage charge.	
000125		unit charge price. details	n/a	n/a	n/a	Aggregate		A financial liability calculated using a per unit charge or price for a quantity.	For example US dollars per day.
000126	percentage charge price. details	n/a	n/a	n/a	n/a	Aggregate		A financial liability calculated using a percentage charge.	



UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000144		charge price. percentage	n/a	decimal	n/a	Basic		The percentage applied to the chargeable amount to find the charge/price amount.	
000145		chargeable. amount	amount. type	n/a	n/a	Basic		The amount on which the charge is made.	
000125	unit charge price. details	n/a	n/a	n/a	n/a	Aggregate		A financial liability calculated using a per unit charge or price for a quantity.	For example US dollars per day.
000146		unit charge price. amount	amount. type	n/a	n/a	Basic		The charge/price amount per unit.	For example, for a charge of \$5/day for 10 days, the charge unit amount is \$5.
000147		base charge price. quantity	quantity. type	n/a	n/a	Basic		The base quantity of the charge/price unit amount.	For example, for a charge of \$5/day for 10 days, the charge base quantity is 1 day.
000121		chargeable. quantity	quantity. type	n/a	n/a	Basic		The quantity on which the charge or price is made.	For example, for a charge of \$5/day for 10 days, the chargeable quantity is 10 days.

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000148	tax. details	n/a	n/a	n/a	n/a	Aggregate		A compulsory contribution to governmental revenue, levied on personal income and business profits or added to the cost of some goods, services, and transactions.	
000149		tax. amount	amount. type	n/a	n/a	Basic		The amount of tax.	
000150		tax. description. text	text. type	n/a	n/a	Basic		Text providing information on the tax.	This text may cover information which is in addition to the structured information but cannot be provided within the given structure
000151		tax. category. code	code. type	n/a	n/a	Basic		The tax category which relates an item to the rate of tax charged.	For example standard, exempt, or zero rated.
000171		tax. percentage	n/a	number	n/a	Basic		The percentage applied to the taxable amount to find the tax amount.	

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000172		taxable.amount	amount.type	n/a	n/a	Basic		The amount on which tax at this rate is calculated.	Allows for one price charge to have different rates of tax applied to it.
<b>Examples of Re-use of Aggregates</b>									
000079	account servicer party.details	n/a	n/a	n/a	party.details (000001)	Aggregate		Information about the organisation at which an account is held.	
000082	account owner party.details	n/a	n/a	n/a	party.details (000001)	Aggregate		The entity which is the owner of the account.	
000051	contact party.details	n/a	n/a	n/a	party.details (000001)	Aggregate		The contact person or department for an organisation.	
000129	charge financial account	n/a	n/a	n/a	financial account.details (000010)	Aggregate		The financial account to be charged.	
<b>Additional Basic Information Entities</b>									
The additional Basic Information Entities below have been identified.									
000083		payment card.expiration.date	date.time.type	n/a	n/a	Basic		The expiration date of a payment card that is associated with an account.	

UID	Aggregate Information Entity	Embedded Entity	Core Component Type (CCT) used	Datatype	Core component re-used	Category Type (CCT, Basic, Aggregate)	Required (R)	Definition	Remarks
000132		transport method. code	code. type	n/a	n/a	Basic		Method of transport used for the conveyance of goods or persons	For example, by air, by rail, by sea.
000133		currency. identification . code	n/a	string	n/a	Basic		The currency of money.	Uses values from ISO 4217.
000134		scale. value	n/a	number	n/a	Basic		The base rate of a number expressed as 1, 10, 100, 1000 (or higher multiples of 10).	
000135		line. identifier	n/a	string	n/a	Basic		The line number of a document, record or file.	For example the line number of an invoice.
000164		transport stage. code	code. type	n/a	n/a	Basic		Identification of a stage of transport. A stage in a journey.	For example, pre-carriage, main carriage, on-carriage
000170		exchange contract. reference. identifier	n/a	string	n/a	Basic		A reference or pointer to a document defining the conditions and rates under which an exchange of currencies occurs.	